

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6247
S.A. 13-43
1500



FINAL LIST OF SEED SOURCES FOR PLANTING IN FALL OF 1943

WHEAT AND WINTER BARLEY

1943

* * * * *

✓
THE OHIO SEED IMPROVEMENT ASSOCIATION
Horticulture & Forestry Bldg.
Columbus, 10, Ohio

This list contains the names of those members of the Ohio Seed Improvement Association who have Ohio Registered (marked *) or Ohio Certified seed of adapted winter wheat or winter barley varieties for seeding in the fall of 1943.

Each lot of seed listed is guaranteed by the grower to be as represented on the official Ohio Seed Improvement Association tag which he attaches to each bag of seed sold as Registered or Certified. These tags are the Producer's guarantee of the contents of the bag.

The Association makes no guarantee of any lot of seed on this list, for upon the grower rests the responsibility of delivering stock equal in quality to the inspected samples. Any irregularity should be reported to the grower. If the purchaser feels that satisfactory adjustment is not being made he should then report it to the Secretary of the Association.

Additional copies of this list, as well as lists of sources of Ohio Certified corn hybrids, oats, spring barley, and soybeans, may be obtained by writing to the Ohio Seed Improvement Association.

. TIMOTHY

Two varieties of timothy, Marietta, and Lorain, have been declared eligible for certification in Ohio. See Page 5 for descriptions and sources.

Observe the Hessian Fly-Free Sowing Dates in Your Locality This Fall.

(SEED SOURCES ON THE FOLLOWING PAGES)

Sept. 1943

FINAL LIST OF WHEAT AND WINTER BARLEY SOURCES FOR 1943

FULHIO WHEAT - White-chaffed, beardless, a little more winter-hardy than Trumbull, but slightly weaker strawed; quality similar to Trumbull.

<u>Name</u>	<u>Address</u>	<u>County</u>	<u>Bushels</u>
*KLINE BROS.	Ashland, Rt. 4	Ashland	200
Searff's Sons, W. N.	New Carlisle, Rt. 3	Clark	100
<u>TRUMBULL WHEAT</u> - White-chaffed, beardless, resistant to loose smut, stiff-strawed, with soft red kernels producing a high quality of grain and flour.			
*GRAVER, GEORGE H.	Gibsonburg, Rt. 1	Sandusky	250
*HEYMAN BROS.	Monroeville, Rt. 2	Huron	115
Lotz, Samuel H.	Jackson Center, Rt. 1	Shelby	125
*SCARFF'S SONS, W. N.	New Carlisle, Rt. 3	Clark	300
Stuart, J. I., & Son	West Liberty, Rt. 2	Logan	135
<u>THORNE WHEAT</u> - A variety developed at the Ohio Agricultural Experiment Station by selection following a cross made in 1917 between Portage and Fulcaster. Beardless, red chaffed, purple strawed, stiff strawed, soft-red kernels of good milling quality. In long-time tests at 13 locations in Ohio, Thorne has outyielded Fulhio by 2 bushels and Trumbull by 3 bushels an acre. Fully as winter-hardy as Trumbull or Fulhio. Slightly lower in test weight per bushel and somewhat more susceptible to scab injury.			
*BALDINGER, C. W.	Caledonia, Rt. 2	Marion	500
Baughman, W. W.	New Waterford, Rt. 1	Columbiana	200
Bollard, John K.	Ravenna, Rt. 2	Portage	90
*BENNETT, GEO. V.	Now Madison	Darke	100
*BERG, OSCAR C., & SONS	Upper Sandusky	Wyandot	250
Boggs, J. W.	Hibbetts, Rt. 1	Carroll	180
*CALDWELL, J. D.	Clarrington, Rt. 2	Monroe	60
*CALL, H. M.	Kent, Rt. 3	Summit	120
Cannon, Chas. E.	Mogadore, Rt. 1	Portage	240
Chadwick, Chas. J.	Ashloy, Rt. 1	Delaware	175
Coons, Herbert H.	Richwood, Rt. 1	Union	100
Dixon, J. S.	Orwell, Lock Box 21	Ashtabula	30
Ferguson, W. S.	Lexington, Rt. 2	Morrow	200
Flory, A. B.	West Alexandria, Rt. 2	Preble	450
Franz, Edwin	Perrysburg	Wood	800
Fravel, James W.	Mt. Vernon, Rt. 2	Knox	400
*FRIES FARMS	Huron, Rt. 2	Eric	900
*GALEHOUSE, D. W., & SON	Marshallville	Wayne	200 Reg. 235 Cert.
*HALE, EVERETT C.	Burton, Rt. 2	Geauga	35
*HELLWIG, LESLIE W.	Graytown, Rt. 1	Ottawa	200

* Those who purchase seed must obtain REGISTERED seed in order to have fields which are eligible for inspection in 1944. Growers marked (*) have Registered seed.

THORNE WHEAT - Continued

<u>Name</u>	<u>Address</u>	<u>County</u>	<u>Bushels</u>
*HERRICK, M. L.	Austinburg, Rt. 1	Ashtabula	80 Reg. 125 Cert.
*HEYMAN BROS.	Monroeville, Rt. 2	Huron	450 Reg. 800 Cert.
Holmes Seed Co.	Canton, Rt. 4	Stark	530
Humphrey Co., The	Wakeman, Rt. 2	Huron	240
Kohler Sons, L. F.	Poland, Rt. 1	Mahoning	635
*LOWMILLER BROS.	Bucyrus, Rt. 3	Crawford	455
Mahoning Co. Experimental Farm	Canfield, Rt. 2	Mahoning	75
*MALIK, L. A.	Brunswick, Rt. 1	Cuyahoga	340
*MAST, C. W.	Waterville, Rt. 1	Lucas	750
*MERGENTHALER, C. L.	Fostoria, Rt. 2	Hancock	800
*MILLER, ROY, & SON	Clarington, Rt. 2	Monroe	90
Nixon, Kenneth G.	Mansfield, Rt. 4	Richland	115
Rupert, Willis, & Son	New Waterford	Columbiana	920
*SCHALLER, H. P., & SONS	Maumee, Rt. 1	Lucas	800
*SCHLESSMAN, J., & SONS	Avery	Erie	200 Reg. 225 Cert.
Schuster, John, & Sons	Avon, Rt. 1	Lorain	80
*SETTLEMYRE, JOHN W.	Oregonia, Rt. 1	Warren	400
Shumaker, C. E., & Son	Galion, Rt. 2	Morrow	40
Slagle, Earl	Delta, Rt. 2	Fulton	340
*SORRICK, J. HAROLD	Uniontown, Rt. 2	Summit	500
Spar, J. R.	Ada, Rt. 1	Hardin	350
Utz, Lester J.	New Washington, Rt. 1	Seneca	240
Van Fossen, J. E., & Sons	Croton, Rt. 1	Licking	105
Western Reserve Academy (Agri. Dept.)	Hudson	Summit	610
Willis, Victor B.	Salineville	Columbiana	164
Woods, W. N.	Maumee	Lucas	580
Young, Robt. H.	Wooster, 1447 Cleveland Rd.	Wayne	100

* Those who purchase seed must obtain REGISTERED seed in order to have fields which are eligible for inspection in 1944. Growers marked (*) have Registered seed.

WINTER BARLEY

OHIO NO. 1 WINTER BARLEY - Ohio No. 1 winter barley is a composite of strains that have been grown many years in the Miami Valley. It is unexcelled in yield by any variety with which it has been compared in Ohio. Straw strength is good for winter barley. Like all other high yielding strains, it is bearded.

<u>Name</u>	<u>Address</u>	<u>County</u>	<u>Bushels</u>
Berg, Oscar C., & Sons	Upper Sandusky	Wyandot	50
Groner, Walter F.	Hilliards, Rt. 1	Franklin	80
Hollwig, Leslie W.	Graytown, Rt. 1	Ottawa	220
Iftner, William	Grove City, Rt. 2	Franklin	250
*SCARFF'S SONS, W. N.	New Carlisle, Rt. 3	Clark	200 Reg. 300 Cert.
Thompson Seed Co.	Findlay	Hancock	125

KENTUCKY NO. 1 WINTER BARLEY - Kentucky No. 1 winter barley developed by the Kentucky Agricultural Experiment Station represents the progeny of a single head selected from the local barley grown in central Kentucky. It is similar in appearance and performance to Ohio No. 1.

*BACKS, JOS. H.	Colina, Rt. 6	Mercer	100
Bowman, George	Collinsville	Butler	100
Flory, A. B.	West Alexandria, Rt. 2	Proble	325

The growers listed below produced seed of satisfactory varietal purity. In all cases where per cent of germination and number of bushels are shown, the seed has met all requirements for certification except germination. For those growers listed with acreage only, sample analysis had not been completed at the time of printing this list.

THORNE WHEAT

<u>Name</u>	<u>Address</u>	<u>County</u>	<u>Germination</u> %	<u>Amount</u>
Allard, O. Stanley	Wadsworth, Rt. 1	Medina	--	10 Acres
Brackney, G. W.	Anna, Rt. 1	Shelby	82	360 Bu.
Chambers, Roscoe	Shreve, Rt. 2	Holmes	--	9.4 Acres
Deering, George E.	Monroeville, Rt. 1	Eric	85	565 Bu.
Fishbaugh, A. A., & Sons	Colina, Rt. 3	Mercer	75	125 Bu.
Fisher, Joseph C.	Colina, Rt. 4	Mercer	74	100 Bu.
Fravel, James W.	Mt. Vernon, Rt. 2	Knox	86	90 Bu.
Freeman, Allen P.	Galena, Rt. 1	Delaware	--	12 Acres
Gay, Philip C.	Chillicothe, Rt. 4	Ross	--	18 Acres
Graham, Fred P.	Logan	Hocking	--	20 Acres

* Those who purchase seed must obtain REGISTERED seed in order to have fields which are eligible for inspection in 1944. Growers marked (*) have Registered seed.

THORNE WHEAT - Continued (See note center of Page 4)

<u>Name</u>	<u>Address</u>	<u>County</u>	<u>Germi- nation %</u>	<u>Amount</u>
Hale, Jos. C	Cuyahoga Falls, Rt. 2	Summit	--	5 Acres
Kline Bros.	Ashland, Rt. 4	Ashland	85	80 Bu.
Krauss, E. S., & Son	Findlay, Rt. 2	Hancock	82	500 Bu.
Manchester, C. M.	Lakeview, Rt. 1	Auglaize	73	800 Bu.
Passet, R. A., & Altvater, G.	Wharton, Rt. 1	Wyandot	82	200 Bu.
Pierstorff, Walter, & Son	Rockford, Rt. 3	Mercer	75	240 Bu.
Pifer, LeRoy	Rockford, Rt. 1	Mercer	82	150 Bu.
Ruff, Herbert N.	Amanda, Rt. 1	Fairfield	--	45 Acres
Scarff's Sons, W. N.	New Carlisle, Rt. 3	Clark	82	400 Bu.
Schaurer, J. H.	Covington, Rt. 1	Miami	74	265 Bu.
Suter, John R.	Perrysburg, Rt. 2	Wood	--	7 Acres
Van Fossen, J. E., & Sons	Croton, Rt. 1	Licking	84	1115 Bu.
Webb Bros.	Hamilton, Rt. 1	Butler	--	28 Acres
Williams, W. L.	Wilmington, Rt. 3	Clinton	--	25 Acres

OHIO NO. 1 WINTER BARLEY - (See note center of Page 4)

Stephan, A. T., & Sons	Forest, Rt. 3	Wyandot	--	6 Acres
------------------------	---------------	---------	----	---------

TIMOTHY

Mariotta and Lorain timothy have been declared eligible for certification in Ohio. No seed of Mariotta was grown under inspection in 1943. The growers of Lorain listed below had fields that passed field inspection in 1943.

Certification of these lots of seed will not be completed until re-cleaned samples of the seed to be offered for sale have been examined and found to meet the Certification standards of the Ohio Seed Improvement Association.

LORAIN TIMOTHY

Lorain timothy heads, blooms, and matures late; the leaves remain green for about eight to ten days longer than those of ordinary timothy. It is adapted for hay production in northern Ohio; in the southern part of the state it is probably not superior to ordinary timothy. Through the use of Lorain timothy in Northern Ohio the season when hay of good quality can be harvested may be extended more than a week later than with ordinary timothy. This variety, at present is composed of a single selection, F. C. 15167. It originated from a selection made in the cooperative timothy breeding program of the Division of Forage Crops and Diseases, U. S. Department of Agriculture, and the Ohio Agricultural Experiment Station.

<u>Name</u>	<u>Address</u>	<u>County</u>	<u>Bushels</u>
Beard, C. M.	Findlay, Rt. 3	Hancock	50
Dept. of Agronomy	Ohio Agricultural Experiment Station Wooster	Wayne	9

